

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3086	375/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:22
L2	392833	(par or papr or (peak adj to adj average))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:23
L3	8840	((par or papr or (peak adj to adj average)) with reduc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:24
L4	116	((par or papr or (peak adj to adj average)) with reduc\$3) and (sub adj (channel or carrier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 18:04
L5	0	((par or papr or (peak adj to adj average)) with reduc\$3) and (sub adj (channel or carrier)) and (carrier adj inteferometry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:25
L6	4	((par or papr or (peak adj to adj average)) with reduc\$3) and (sub adj (channel or carrier)) and (carrier adj interferometry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:25
L7	36	4 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:57
L8	556	455/59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:56

## EAST Search History

L9	1	4 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 18:02
L10	123	carrier with interferometry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 18:02
L11	4	4 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 18:03
L12	3	((par or papr or (peak adj to adj average)) with reduc\$3) and (sub adj (channel or carrier)) and unload\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 18:04
S1	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/27 08:40
S2	1	"10/730452"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 21:25
S3	1	par and dmt and pollet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:23
S4	2	"5623513".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 21:51

## EAST Search History

S5	2	"5787113".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 21:52
S6	2	"5768318".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 21:53
S7	2	"5835536".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 21:53
S8	2	"6459726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/30 17:22



[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

"carrier interferometry" PAR

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about 85 for "**carrier interferometry**" **PAR**. (0.32 seconds)

### [PDF] [Microsoft PowerPoint - Seminar](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Carrier Interferometry**. Interferometry OFDM. OFDM. IISimulation Results ... CI/OFDM eliminates problem with **PAR**. and make it more robust. ...

[www.ece.mtu.edu/faculty/ztian/ee5950/Teh\\_seminar.pdf](http://www.ece.mtu.edu/faculty/ztian/ee5950/Teh_seminar.pdf) - [Similar pages](#)

#### [index](#)

OFDM and **Carrier-Interferometry** (CI) OFDM. B: "High-performance 802.11a Wireless LAN via ..." by Wiegandt and Nassar. "Overcoming **PAR** issues in OFDM ...," by ...

[www.ece.mtu.edu/faculty/ztian/ee5950/index03s.htm](http://www.ece.mtu.edu/faculty/ztian/ee5950/index03s.htm) - 13k - [Cached](#) - [Similar pages](#)

### [PDF] [Crest factor reduction in MC-CDMA employing carrier interferometry ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Carrier interferometry** codes, applied to N-carrier MC-CDMA systems, enable 2N users to ... technique, we demonstrate that the uplink as well as **par**- ...

[www.hindawi.com/GetPDF.aspx?doi=10.1155/S1687147204406094](http://www.hindawi.com/GetPDF.aspx?doi=10.1155/S1687147204406094) - [Similar pages](#)

#### [PDF] [High performance wireless via the merger of CI chip shaped DS-CDMA ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

gard to the DS-CDMA scheme, we employ **carrier interferometry** DS-CDMA (CI/DS-CDMA), ... (2) that L independent fades are generated within each **par**- titution T ...

[www.hindawi.com/GetPDF.aspx?doi=10.1155/S1110865704311145](http://www.hindawi.com/GetPDF.aspx?doi=10.1155/S1110865704311145) - [Similar pages](#)

### [PDF] [Editorial](#)

File Format: PDF/Adobe Acrobat

demonstrate how the CI (**carrier interferometry**), which brought far reaching benefits to TDMA ... Next, Al-Hussaini et al. propose and analyze **par**- ...

[dx.doi.org/10.1002/wcm.67](http://dx.doi.org/10.1002/wcm.67) - [Similar pages](#)

### [Citations: the Existence and Construction of Good Codes with Low ...](#)

This paper refers both to **PAR** I and to LE, where the two parameters are trivially ... Crest-Factor Analysis of **Carrier Interferometry** - Mc-Cdma And Ofdm ...

[citeseer.ist.psu.edu/context/1692722/0](http://citeseer.ist.psu.edu/context/1692722/0) - 23k - [Cached](#) - [Similar pages](#)

### [WTS 2005 - Wireless Telecommunications Symposium](#)

Performance Analysis of Asynchronous **Carrier Interferometry**/MC-CDMA Uplink with ... for **PAR** Reduction of OFDM Symbols Using Partial Transmit Sequence ...

[hwang.cisdept.csupomona.edu/wtsi2005/program.htm](http://hwang.cisdept.csupomona.edu/wtsi2005/program.htm) - 43k - [Cached](#) - [Similar pages](#)

### [Telecommunication Emploi désiré Beuvrages, Nord, France](#)

Rechercher **par** Secteur : Aéroport , Banque / Opérations Bancaires ... Demonstrate the ability of **carrier interferometry** ( CI ) technology to support future ...

[www.learn4good.com/jobs/language/french/](http://www.learn4good.com/jobs/language/french/)

[search\\_resumes/electronique/israÄfÆ'E'Ä,Ä«ll/cv/35551/](#) - 39k - Supplemental Result -

[Cached](#) - [Similar pages](#)

### [PDF] [Adaptive transform scheme to reduce par of an OFDM signal ...](#)

File Format: PDF/Adobe Acrobat

propose an adaptive transform scheme to further reduce the **PAR** ... average power ratio issues in OFDM via **carrier-interferometry** codes,â€ in ...

[ieeexplore.ieee.org/iel5/9435/29943/01368294.pdf?isnumber=29943&arnumber=1368294](http://ieeexplore.ieee.org/iel5/9435/29943/01368294.pdf?isnumber=29943&arnumber=1368294) -

[Similar pages](#)



Welcome United States Patent and Trademark Office

☐ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

## SUPPORT

Results for "( ( nassar&lt;in&gt;metadata ) &lt;and&gt; ( papr&lt;in&gt;metadata ) )"

Your search matched 4 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

e-mail
 printer

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

( ( nassar&lt;in&gt;metadata ) &lt;and&gt; ( papr&lt;in&gt;metadata ) )

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#) [Select All](#) [Deselect All](#)

- ☐ 1. **The elimination of peak-to-average power ratio concerns in OFDM via carrier interferometry spreading codes: a multiple constellation analysis**  
Wiegandt, D.A.; Nassar, C.R.; Wu, Z.;  
[System Theory, 2004. Proceedings of the Thirty-Sixth Southeastern Symposium on](#)  
2004 Page(s):323 - 327  
Digital Object Identifier 10.1109/SSST.2004.1295673  
[AbstractPlus](#) | Full Text: [PDF](#)(1645 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **High-performance carrier interferometry OFDM WLANs: RF testing**  
Wiegandt, D.A.; Wu, Z.; Nassar, C.R.;  
[Communications, 2003. ICC '03. IEEE International Conference on](#)  
Volume 1, 11-15 May 2003 Page(s):203 - 207 vol.1  
Digital Object Identifier 10.1109/ICC.2003.1204170  
[AbstractPlus](#) | Full Text: [PDF](#)(318 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Peak-to-average power reduction in high-performance, high-throughput OFDM via pseudo-orthogonal carrier-interferometry coding**  
Wiegandt, D.A.; Nassar, C.R.;  
[Communications, Computers and signal Processing, 2001. PACRIM. 2001 IEEE Pacific Conference on](#)  
Volume 2, 26-28 Aug. 2001 Page(s):453 - 456 vol.2  
Digital Object Identifier 10.1109/PACRIM.2001.953667  
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 4. **Overcoming peak-to-average power ratio issues in OFDM via carrier-interferometry**  
Wiegandt, D.A.; Nassar, C.R.; Zhiqiang Wu;  
[Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th](#)  
Volume 2, 7-11 Oct. 2001 Page(s):660 - 663 vol.2  
Digital Object Identifier 10.1109/VTC.2001.956852  
[AbstractPlus](#) | Full Text: [PDF](#)(256 KB) IEEE CNF  
[Rights and Permissions](#)



Welcome United States Patent and Trademark Office

## □ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( nassar&lt;in&gt;metadata ) &lt;and&gt; ( papr&lt;in&gt;metadata ) )&lt;and&gt; ( threshold&lt;in&gt;..."

[e-mail](#) [print](#)Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

(( nassar&lt;in&gt;metadata ) &lt;and&gt; ( papr&lt;in&gt;metadata ) )&lt;and&gt; ( threshold&lt;in&gt;metadat

[Search](#) >☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights

[PPT] [Orthogonal Frequency Division Multiplexing OFDM](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

OFDM and CC-OFDM **PAR**. CI OFDM **Carrier Interferometry**. OFDM with Phase Overlay;

In Conventional OFDM. Rectangle Envelope in Time ...

[attila.sdsu.edu/fharris/ofdm/OFDM\\_Lecture.ppt](http://attila.sdsu.edu/fharris/ofdm/OFDM_Lecture.ppt) - [Similar pages](#)

Gooogle ►

Result Page:    1   2   3   4   5    **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

"carrier interferometry" PAR

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



Web Images Video<sup>New!</sup> News Maps more »

"carrier interferometry" "Peak to average"

Search

Advanced Search  
Preferences

Web

Results 1 - 10 of about 225 for "**carrier interferometry**" "**Peak to average**". (0.55 seconds)

**[Paper] Adaptive Peak-to-Average Power Ratio Reduction of MC-CDMA ...**

Key Words: Multicarrier **Peak-to-average** power ratio (PAPR); ... 2.6 **Carrier interferometry** (CI) sequence[10] The conformation of CI code of length N is: ...  
www.actapress.com/PDFViewer.aspx?paperId=16761 - [Similar pages](#)

**[Paper] On the PAPR Reduction for Wavelet based Multicarrier ...**

[5] DA Wiegandt, CR Nassar, and Z. Wu, Overcoming **peak-to-average** power ratio issue in OFDM via **carrier interferometry** codes, IEEE Veh. Tech. ...  
www.actapress.com/PDFViewer.aspx?paperId=17688 - [Similar pages](#)

**Recent Carrier Interferometry Spreading Codes**

Khoirul Anwar, "**Peak-to-Average** Power Ratio Reduction of OFDM Signals Using **Carrier Interferometry** Codes and Iterative Processing", A Master Thesis of the ...  
shika.aist-nara.ac.jp/member/anwar-k/recentCI.html - 18k - [Cached](#) - [Similar pages](#)

**Khoirul Anwar, M. Eng., NAIST, Japan**

Realization of **Carrier Interferometry** Codes for OFDM and MC-CDMA Systems. ... **Peak-to-Average** Power Ratio (PAPR) of OFDM signals ...  
shika.aist-nara.ac.jp/member/anwar-k/ - 10k - [Cached](#) - [Similar pages](#)

**[PDF] Microsoft PowerPoint - Seminar**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Carrier Interferometry**. Interferometry OFDM. OFDM. IISimulation Results. Simulation Results ... **Peak-to-Average** Ratio introduced by OFDM. Concept of CI/OFDM ...  
www.ece.mtu.edu/faculty/ztian/ee5950/Teh\_seminar.pdf - [Similar pages](#)

**Crest Factor Reduction in MC-CDMA Employing Carrier Interferometry ...**

Keywords and phrases: **carrier interferometry**, multicarrier CDMA, crest factor, **peak-to-average** power ratio. Options for this article ...  
dx.doi.org/10.1155/S1687147204406094 - [Similar pages](#)

**[PDF] Overcoming peak-to-average power ratio issues in OFDM via carrier ...**

File Format: PDF/Adobe Acrobat

OVERCOMING **PEAK-TO-AVERAGE** POWER RATIO ISSUES IN OFDM VIA. **CARRIER-INTERFEROMETRY** CODES. David A. Wiegandt\*, Carl R. Nassar", and Zhiqiang Wu\*.  
\*RAWCom Lab ...  
ieeexplore.ieee.org/iel5/7588/20687/00956852.pdf?arnumber=956852 - [Similar pages](#)

**[PDF] Khoirul Anwar**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The success of **peak-to-average** power ratio (PAPR) reduction of OFDM signals using **carrier interferometry** (CI). combined with iterative processing (IP) or ...  
www.icf.or.jp/report/nopen/down16\_student/Anwar.pdf - [Similar pages](#)

**OFDM, VOFDM, COFDM Resources**

This paper introduces a novel **carrier interferometry** phase coding to enhance ... SC modulation systems have lower **peak-to average**-ratios than OFDM, ...  
www.palowireless.com/ofdm/resources.asp - 13k - [Cached](#) - [Similar pages](#)

**[PDF] FINAL REPORT Colorado Advanced Software Institute Software Based ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Software Based Simulator for **Carrier Interferometry** Multiple Access ... It is important to

note, as is evident from Figure 2, that the **peak to average** power ...  
[www.cs.colostate.edu/casi/REPORTS/2000/Nassar00.pdf](http://www.cs.colostate.edu/casi/REPORTS/2000/Nassar00.pdf) - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

"carrier interferometry" "Peak to average" subc

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 10 of about 90 for "**carrier interferometry**" "**Peak to average**" **subcarrier**. (0.45 seconds)

**[Paper] Adaptive Peak-to-Average Power Ratio Reduction of MC-CDMA ...**

2.6 **Carrier interferometry**(CI) sequence[10] The conformation of CI code of length N is: ...  
fading channel is converted to flat channel of each **subcarrier**; ...  
[www.actapress.com/PDFViewer.aspx?paperId=16761](http://www.actapress.com/PDFViewer.aspx?paperId=16761) - [Similar pages](#)

**[Paper] On the PAPR Reduction for Wavelet based Multicarrier ...**

[5] DA Wiegandt, CR Nassar, and Z. Wu, Overcoming **peak-to-average** power ratio issue in  
OFDM via **carrier interferometry** codes, IEEE Veh. Tech. ...  
[www.actapress.com/PDFViewer.aspx?paperId=17688](http://www.actapress.com/PDFViewer.aspx?paperId=17688) - [Similar pages](#)  
[ [More results from www.actapress.com](#) ]

**[PDF] Microsoft PowerPoint - Seminar**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
the information in that particular **sub-carrier**. the information in that particular **sub-carrier**.  
Carrier. **Carrier Interferometry**. Interferometry Approach ...  
[www.ece.mtu.edu/faculty/ztian/ee5950/Teh\\_seminar.pdf](http://www.ece.mtu.edu/faculty/ztian/ee5950/Teh_seminar.pdf) - [Similar pages](#)

**Recent Carrier Interferometry Spreading Codes**

... Partial Number of **Subcarrier** on the PAPR **Carrier Interferometry** OFDM", ... High  
**Peak-to-Average** Power Ratio (PAPR) is one of the major drawbacks of ...  
[shika.aist-nara.ac.jp/member/anwar-k/recentCI.html](http://shika.aist-nara.ac.jp/member/anwar-k/recentCI.html) - 18k - [Cached](#) - [Similar pages](#)

**Khoirul Anwar's Publications**

Khoirul Anwar, "**Peak-to-Average** Power Ratio Reduction of OFDM Signals Using **Carrier Interferometry** Codes and Iterative Processing", A Master Thesis of the ...  
[shika.aist-nara.ac.jp/member/anwar-k/publications.html](http://shika.aist-nara.ac.jp/member/anwar-k/publications.html) - 16k - [Cached](#) - [Similar pages](#)

**[PDF] Khoirul Anwar**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
The success of **peak-to-average** power ratio (PAPR) reduction of OFDM signals using  
**carrier interferometry** (CI). combined with iterative processing (IP) or ...  
[www.icf.or.jp/report/nopen/down16\\_student/Anwar.pdf](http://www.icf.or.jp/report/nopen/down16_student/Anwar.pdf) - [Similar pages](#)

**[PDF] FINAL REPORT Colorado Advanced Software Institute Software Based ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Software Based Simulator for **Carrier Interferometry** Multiple Access (CIMA) ... **subcarrier**  
encoded with a -1 or +1 (as determined by an assigned spreading ...  
[www.cs.colostate.edu/casi/REPORTS/2000/Nassar00.pdf](http://www.cs.colostate.edu/casi/REPORTS/2000/Nassar00.pdf) - [Similar pages](#)

**[PDF] Crest factor reduction in MC-CDMA employing carrier interferometry ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
Keywords and phrases: **carrier interferometry**, multicarrier CDMA, crest factor, **peak-to-average** power ratio. 1. INTRODUCTION ...  
[www.hindawi.com/GetPDF.aspx?doi=10.1155/S1687147204406094](http://www.hindawi.com/GetPDF.aspx?doi=10.1155/S1687147204406094) - [Similar pages](#)

**[PDF] Techniques for Reduction of Peak-to-average power ratio in OFDM ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
that each **sub carrier** is orthogonal to the other sub carriers. Two signals are ... the novel  
use of **Carrier-Interferometry** (CI) phase codes. ...  
[www.dspexperts.com/dsp/projects/318/318.pdf](http://www.dspexperts.com/dsp/projects/318/318.pdf) - [Similar pages](#)

**[PDF] CI/FSK: Bandwidth-Efficient Multicarrier FSK for High Performance ...**

File Format: PDF/Adobe Acrobat

**carrier interferometry** (CI) FSK. We demonstrate that this tech- ... transmit bandwidth, but not over each individual **subcarrier** ...

ieeexplore.ieee.org/iel5/26/28502/01273685.pdf?arnumber=1273685 - [Similar pages](#)

Gooooooooogle ►

Result Page:    1   2   3   4   5   6    **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

"carrier interferometry" "Peak to ave"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



## Web

Results 1 - 10 of about 32 for "**carrier interferometry**" "**Peak to average**" **dmt**. (0.55 seconds)

### Citations: the Existence and Construction of Good Codes with Low ...

Achievable **peak to average** ratio (PAR, linear scale) at a certain code rate 16 QAM ...

Crest-Factor Analysis of **Carrier Interferometry** - Mc-Cdma And Ofdm ...

[citeseer.ist.psu.edu/context/1692722/0](http://citeseer.ist.psu.edu/context/1692722/0) - 23k - [Cached](#) - [Similar pages](#)

### [PDF] Techniques for Reduction of **Peak-to-average** power ratio in OFDM ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This can be done in **DMT** (Discrete Multi Tone) ... the novel use of **Carrier-Interferometry** (CI) phase codes. Specifically, the ...

[www.dspexperts.com/dsp/projects/318/318.pdf](http://www.dspexperts.com/dsp/projects/318/318.pdf) - [Similar pages](#)

### [PDF] **Pap**r reduction via a fixed frequency-domain weighting across ...

File Format: PDF/Adobe Acrobat

[27] DA Wiegandt and CR Nassar, "**Peak-to-Average** Power. Reduction in High-

Performance High-Throughput OFDM. via Psuedo-Orthogonal **Carrier-Interferometry** ...

[ieeexplore.ieee.org/iel5/9248/29346/01327018.pdf?arnumber=1327018](http://ieeexplore.ieee.org/iel5/9248/29346/01327018.pdf?arnumber=1327018) - [Similar pages](#)

### [PDF] **Author index** - Communications, IEEE Transactions on

File Format: PDF/Adobe Acrobat

sequences with low **peak-to-average** power ratio; T-COM Jan 03 25-28. Tarokh, V., A. Naguib, ... performance OFDM via pseudo-orthogonal **carrier interferometry** ...

[ieeexplore.ieee.org/iel5/26/28107/01256755.pdf?arnumber=1256755](http://ieeexplore.ieee.org/iel5/26/28107/01256755.pdf?arnumber=1256755) - [Similar pages](#)

[ [More results from ieeexplore.ieee.org](#) ]

### [PDF] IST-2003-507581 WINNER D2.2 v1.0 Feasibility of multi-bandwidth ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

been called "**carrier interferometry**" in [HNM+04]. ... like 2 or 3, its **peak to average** power ratio will be significantly less than that of a corresponding ...

<https://www.ist-winner.org/DeliverableDocuments/D2.2.pdf> - [Similar pages](#)

### Orthogonal frequency-division multiplexing - Factbites

OFDM waveforms tend to have a high **Peak to Average** Power Ratio (PAPR ). ... High - Performance OFDM via Pseudo -Orthogonal **Carrier Interferometry** Coding (PDF ...

[www.factbites.com/topics/Orthogonal-frequency\\_division-multiplexing](http://www.factbites.com/topics/Orthogonal-frequency_division-multiplexing) - 53k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [PDF] **EURASIP**

File Format: PDF/Adobe Acrobat

Common to all **DMT**/OFDM systems is a large **peak-to-average** ratio (PAR), ... **Carrier interferometry** codes, applied. to N-carrier MC-CDMA systems, ...

[www.eurasip-newsletter.org/newsletter-15-4.pdf](http://www.eurasip-newsletter.org/newsletter-15-4.pdf) - [Similar pages](#)

### [PDF] Boletín de Alerta en Electrónica y Sistemas

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Complement block coding for reduction in **peak-to-average** power ratio of OFDM ...

Narrowband Interference Rejection in OFDM via **Carrier Interferometry** ...

[www.ucatolica.edu.co/biblioteca/BolAleElc.pdf](http://www.ucatolica.edu.co/biblioteca/BolAleElc.pdf) - [Similar pages](#)

### [PDF] **Circuit-Aware** System Design Techniques for Wireless Communication

File Format: PDF/Adobe Acrobat

[76] DA Wiegandt, CR Nassar, and Z. Wu, "Overcoming **peak-to-average** power. ratio issues in OFDM via **carrier-interferometry** codes," in VTC '01, vol. 2, 2001, ...

<https://dspace.mit.edu/bitstream/1721.1/33224/1/Everest+Huang+TR709.pdf> -  
[Similar pages](#)

International Symposium on Computers and Communications

Pilot Pollution Interference Reduction Using Multi-**Carrier Interferometry**. by: Mostafa M.  
El-Said, ... **DMT** Signals with Low **Peak-to-Average** Power Ratio ...  
wotan.liu.edu/docis/dbl/isccis/index.html - 195k - [Cached](#) - [Similar pages](#)

Google 

Result Page:    1   2    [Next](#)

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

SCIRUS		Search	Pop-up Blocker OFF	Highlight

- |          |          |                |                 |      |            |
|----------|----------|----------------|-----------------|------|------------|
| About Us | Newsroom | Advisory Board | Submit Web Site | Help | Contact Us |
|----------|----------|----------------|-----------------|------|------------|

**Basic Search**

[Advanced Search](#) [Search Preferences](#)

"carrier interferometry" AND "Peak to average" AND dmt

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"**carrier interferometry**" AND "**Peak to average**" AND dmt

Found:: :**1 total** | **0 journal results** | **0 preferred web results** | **1 other web results**

Sort by:: :**relevance** | date

Save checked results

Email checked results

Export checked results

Or refine using:

All of the words

Refine

- ☐ 1. Peak - to - average power ratio of orthogonal frequency division [PS-185K]  
Jun 2002  
<html><body><pre> **Peak-to-average** power ratio of orthogonal  
frequency...OFDM is the occurrence of high **peak to average** power ratios  
(PAR). Many PAR...increased beyond 32. Key words: OFDM, **Peak-to-**  
**average** power ratio, Clipping, Complementary...  
[http://www.csse.monash.edu.au/publications/2002/tr-200...]  
similar results

**fast**

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)  
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2006



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "( ( carrier interferometry&lt;in&gt;metadata ) ) &lt;and&gt; (pyr &gt;= 1950 &lt;and&gt; pyr &lt;= 2..."

e-mail
 printer

Your search matched 3 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Throughput enhancement in TDMA through carrier interferometry pulse shaping**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd  
 Volume 4, 24-28 Sept. 2000 Page(s):1799 - 1803 vol.4  
 Digital Object Identifier 10.1109/VETECF.2000.886131  
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 2. **MMSE frequency combining for CI/DS-CDMA**  
 Zhiqiang Wu; Nassar, C.R.;  
Radio and Wireless Conference, 2000. RAWCON 2000. 2000 IEEE  
 10-13 Sept. 2000 Page(s):103 - 106  
 Digital Object Identifier 10.1109/RAWCON.2000.881866  
[AbstractPlus](#) | Full Text: [PDF](#)(236 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 3. **Array control systems for multicarrier protocols using a frequency-shifted feedback cavity**  
 Shattil, S.; Nassar, C.R.;  
Radio and Wireless Conference, 1999. RAWCON 99. 1999 IEEE  
 1-4 Aug. 1999 Page(s):215 - 218  
 Digital Object Identifier 10.1109/RAWCON.1999.810968  
[AbstractPlus](#) | Full Text: [PDF](#)(208 KB) IEEE CNF  
[Rights and Permissions](#)

 Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(shattil s.&lt;in&gt;au)"

Your search matched 21 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search

(shattil s.&lt;in&gt;au)

Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. **Innovative pulse shaping for high-performance wireless TDMA**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Communications Letters, IEEE](#)  
 Volume 5, Issue 9, Sept. 2001 Page(s):372 - 374  
 Digital Object Identifier 10.1109/4234.951381  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(63 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. **High-performance MC-CDMA via carrier interferometry codes**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.; Michelini, M.; Wu, Z.;  
[Vehicular Technology, IEEE Transactions on](#)  
 Volume 50, Issue 6, Nov. 2001 Page(s):1344 - 1353  
 Digital Object Identifier 10.1109/25.966567  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(185 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. **Oscillating-beam smart antenna arrays and multicarrier systems: achieving transn diversity, frequency diversity, and directionality**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Vehicular Technology, IEEE Transactions on](#)  
 Volume 51, Issue 5, Sept. 2002 Page(s):1030 - 1039  
 Digital Object Identifier 10.1109/TVT.2002.800628  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(590 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. **Large set of CI spreading codes for high-capacity MC-CDMA**  
 Natarajan, B.; Zhiqiang Wu; Nassar, C.R.; Shattil, S.;  
[Communications, IEEE Transactions on](#)  
 Volume 52, Issue 11, Nov. 2004 Page(s):1862 - 1866  
 Digital Object Identifier 10.1109/TCOMM.2004.836564  
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(200 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 5. **High-throughput high-performance TDMA through pseudo-orthogonal carrier interferometry pulse shaping**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Wireless Communications, IEEE Transactions on](#)  
 Volume 3, Issue 3, May 2004 Page(s):689 - 694  
 Digital Object Identifier 10.1109/TWC.2004.826318  
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE JNL  
[Rights and Permissions](#)

6. **CI/FSK: bandwidth-efficient multicarrier FSK for high performance, high throughput enhanced applicability**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Communications, IEEE Transactions on](#)  
 Volume 52, Issue 3, March 2004 Page(s):362 - 367  
 Digital Object Identifier 10.1109/TCOMM.2004.823570  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
7. **Merging multicarrier CDMA and oscillating-beam smart antenna arrays: exploiting directionality, transmit diversity, and frequency diversity**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Communications, IEEE Transactions on](#)  
 Volume 52, Issue 1, Jan 2004 Page(s):110 - 119  
 Digital Object Identifier 10.1109/TCOMM.2003.822180  
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
8. **Measurement of the bond strength between VWF A1 domain and clustered platelet glycoprotein Ib-IX using optical tweezers**  
 Arya, M.; Romo, G.M.; Cruz, M.A.; Kasirer-Friede, A.; Shattil, S.J.; Lopez, J.A.; Anvari, B  
[\[Engineering in Medicine and Biology, 2002. 24th Annual Conference and the Annual Fall Meeting of the Biomedical Engineering Society\] EMBS/BMES Conference, 2002. Proceedings of the Second Joint](#)  
 Volume 3, 23-26 Oct. 2002 Page(s):2269 - 2270 vol.3  
 Digital Object Identifier 10.1109/IEMBS.2002.1053276  
[AbstractPlus](#) | Full Text: [PDF\(287 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
9. **Combining multi-input single-output systems and multi-carrier systems: achieving transmit diversity, frequency diversity and directionality**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Vehicular Technology Conference, 2002. VTC Spring 2002. IEEE 55th](#)  
 Volume 3, 6-9 May 2002 Page(s):1353 - 1358 vol.3  
 Digital Object Identifier 10.1109/VTC.2002.1002837  
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
10. **Novel multi-carrier implementation of FSK for bandwidth efficient, high performance wireless systems**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Communications, 2002. ICC 2002. IEEE International Conference on](#)  
 Volume 2, 28 April-2 May 2002 Page(s):872 - 876 vol.2  
 Digital Object Identifier 10.1109/ICC.2002.996980  
[AbstractPlus](#) | Full Text: [PDF\(260 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
11. **Merging DS-CDMA (with CI chip shapes) and oscillating-beam smart antenna arrays exploiting transmit diversity, frequency diversity and directionality**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Communications, 2002. ICC 2002. IEEE International Conference on](#)  
 Volume 2, 28 April-2 May 2002 Page(s):742 - 747 vol.2  
 Digital Object Identifier 10.1109/ICC.2002.996954  
[AbstractPlus](#) | Full Text: [PDF\(358 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
12. **Ultra wideband DS-CDMA via innovations in chip shaping**  
 Zhiqiang Wu; Nassar, C.; Shattil, S.;  
[Vehicular Technology Conference, 2001. VTC 2001 Fall. IEEE VTS 54th](#)  
 Volume 4, 7-11 Oct. 2001 Page(s):2470 - 2474 vol.4  
 Digital Object Identifier 10.1109/VTC.2001.957194

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)

13. **Achieving directionality and transmit diversity via smart antenna pattern oscillation in a geometric-based stochastic channel model for coherence time evaluation**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Radio and Wireless Conference, 2001. RAWCON 2001. IEEE](#)  
 19-22 Aug. 2001 Page(s):223 - 226  
 Digital Object Identifier 10.1109/RAWCON.2001.947622  
[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
14. **Enhanced Bluetooth and IEEE 802.11 (FH) via multi-carrier implementation of the physical layer**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Broadband Communications for the Internet Era Symposium digest, 2001 IEEE Emerging Technologies Symposium on](#)  
 10-11 Sept. 2001 Page(s):129 - 133  
 Digital Object Identifier 10.1109/2001.979440  
[AbstractPlus](#) | Full Text: [PDF\(361 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
15. **The merger of a single oscillating-beam smart antenna and MC-CDMA: transmit diversity and directionality**  
 Zekavat, S.A.; Nassar, C.R.; Shattil, S.;  
[Broadband Communications for the Internet Era Symposium digest, 2001 IEEE Emerging Technologies Symposium on](#)  
 10-11 Sept. 2001 Page(s):107 - 112  
 Digital Object Identifier 10.1109/2001.979434  
[AbstractPlus](#) | Full Text: [PDF\(353 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
16. **High-performance, high-capacity MC-CDMA via carrier interferometry**  
 Zhiqiang Wu; Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Personal, Indoor and Mobile Radio Communications, 2001 12th IEEE International Symposium on](#)  
 Volume 2, 30 Sept.-3 Oct. 2001 Page(s):G-11 - G-16 vol.2  
 Digital Object Identifier 10.1109/PIMRC.2001.965312  
[AbstractPlus](#) | Full Text: [PDF\(314 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
17. **Wireless communication system architecture and physical layer design for airport surface management**  
 Zhiqiang Wu; Nassar, C.R.; Alagar, A.; Shattil, S.;  
[Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd](#)  
 Volume 4, 24-28 Sept. 2000 Page(s):1950 - 1955 vol.4  
 Digital Object Identifier 10.1109/VETECF.2000.886154  
[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
18. **Throughput enhancement in TDMA through carrier interferometry pulse shaping**  
 Natarajan, B.; Nassar, C.R.; Shattil, S.;  
[Vehicular Technology Conference, 2000. IEEE VTS-Fall VTC 2000. 52nd](#)  
 Volume 4, 24-28 Sept. 2000 Page(s):1799 - 1803 vol.4  
 Digital Object Identifier 10.1109/VETECF.2000.886131  
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) [IEEE CNF](#)  
[Rights and Permissions](#)
19. **Wireless communication system design for airport surface management .1. Airport measurements at 5.8 GHz**  
 Shattil, S.; Zhiqiang Wu; Alagar, A.; Nassar, C.R.;  
[Communications, 2000. ICC 2000. 2000 IEEE International Conference on](#)

Volume 3, 18-22 June 2000 Page(s):1552 - 1557 vol.3

Digital Object Identifier 10.1109/ICC.2000.853756

[AbstractPlus](#) | Full Text: [PDF](#)(420 KB) IEEE CNF

[Rights and Permissions](#)

┌ **20. Array control systems for multicarrier protocols using a frequency-shifted feedback cavity**

Shattil, S.; Nassar, C.R.;

[Radio and Wireless Conference, 1999. RAWCON 99. 1999 IEEE](#)

1-4 Aug. 1999 Page(s):215 - 218

Digital Object Identifier 10.1109/RAWCON.1999.810968

[AbstractPlus](#) | Full Text: [PDF](#)(208 KB) IEEE CNF

[Rights and Permissions](#)

┌ **21. Introduction of carrier interference to spread spectrum multiple access**

Nassar, C.R.; Natarajan, B.; Shattil, S.;

[Wireless Communications and Systems, 1999 Emerging Technologies Symposium](#)

12-13 April 1999 Page(s):4.1 - 4.5

Digital Object Identifier 10.1109/ETWCS.1999.897312

[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE CNF

[Rights and Permissions](#)

Indexed by  
 Inspec<sup>®</sup>

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

## □ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(( ( carrier interferometry&lt;in&gt;metadata ) &lt;and&gt; ( par&lt;in&gt;metadata ) )) &lt;and&gt;..."

[e-mail](#) [print](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

  ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisin search.

Indexed by  
 Inspect<sup>©</sup>[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((( carrier interference&lt;in&gt;metadata ) &lt;and&gt; ( peak to average&lt;in&gt;metadata ) )) &lt;and&gt;..."

e-mail
 printer

Your search matched 1 of 1397873 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)
[New Search](#)

## Modify Search


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)

- ☐ 1. A novel carrier frequency offset estimation scheme for OFDM systems utilizing correlation with a pilot symbol without null sub-carrier  
 Wakutsu, T.; Serizawa, M.;  
[Vehicular Technology Conference, 1999 IEEE 49th](#)  
 Volume 1, 16-20 May 1999 Page(s):113 - 117 vol.1  
 Digital Object Identifier 10.1109/VETEC.1999.778029  
[AbstractPlus](#) | Full Text: [PDF\(396 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

 Indexed by  
 Inspec

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2006 IEEE – All Rights